


EPSON[®]
EXCEED YOUR VISION

Epson
AcuLaser **CX11N** *Series*



Print, copy, scan and fax in colour

Our Epson AcuLaser CX11N series gives you fast, high quality colour copying, scanning, faxing* and colour laser printing. Four reliable functions in one affordable, space saving device.



The CX11N is easy to use thanks to the intuitive control panel



Epson's most advanced and affordable A4 colour laser multi function printer

The Epson AcuLaser CX11N series offers small offices and workgroups a total office solution in a single device. The very best in colour printing, colour photocopying, scanning and faxing are all available in one compact machine. And all of this is delivered without compromising on quality.

Easily produce stunning documents in-house

With such an efficient and convenient device and with colourful document template software included, you can print all your business and marketing documents in-house. Thanks to Epson's excellent print quality, even the finest details in your images are reproduced - you can be sure they will have a strong impact.

Fast, high quality printing

With an impressive first page out time of 9 seconds in black and white, 17 seconds in colour, printing and copying speeds of 25ppm in black and white and 5ppm in colour, Epson's AcuLaser CX11N series is as fast as other more expensive laser printers and copiers.

Trouble-free scanning, copying, printing and faxing

The Epson AcuLaser CX11N series is easy to install, use and manage. The large back-lit LCD control panel provides current status, including toner consumption.

With a paper capacity of up to 680 sheets you won't need to keep refilling. Paper output is accessible from all sides, and for easy multi-page copying, faxing and scanning, you can use the built-in automatic document feeder*.

*Epson AcuLaser CX11NF and Epson AcuLaser CX11NFC

With the handy Push-Scan function you can scan directly to your PC. If you run out of toner, you can still scan and fax your documents.

Easy integration

The reliable Epson AcuLaser CX11N series will integrate seamlessly into your working environment. It is easy to share documents over the network thanks to the Epson Net 10/100 Base Tx Ethernet interface. For simple connection to your PC it is equipped with a Hi-Speed USB (2.0 compatible) interface.

Key features

- Scan, copy, fax* and print in black and white or colour with one affordable device
- All in one device with compact footprint
- Unmatched image quality with Epson Wrap Transfer technology
- High quality, reliable and economical results with Epson AcuBrite toner
- Fast printing and copying at 25 pages per minute black and white / 5 pages per minute colour
- First page out time of 9 seconds, first copy time of just 12 seconds!
- Paper capacity up to 680 sheets (with the optional paper cassette)
- Comprehensive standard connectivity with 10/100 Base Tx and Hi-Speed USB (2.0 compatible)
- Windows and MAC compatible
- Bundled with colour document template software included in the box



Organise your workspace

Having one multi-functional device means as well as saving money, you save space - ideal for small offices and workgroups. Add the optional cabinet for extra storage and improved usability.



Epson **CX11N**
AcuLaser

Model	Epson AcuLaser CX11N, Epson AcuLaser CX11NF	Ordering Information
Print Features		Product
Printing Technology	Laser Multi-Function	Epson AcuLaser CX11N
Print Resolution	Epson AcuLaser Colour 2400 RIT ⁽⁴⁾ (Resolution Improvement Technology)	Base Model
Print Speed	Up to 25ppm in black and white and 5ppm in colour (A)	C11C588001BZ
First Page Out	9 seconds in black and white and 17 seconds in colour	(W x D x H mm, Kg) ⁽³⁾
Maximum Monthly Volume	45,000 pages	460 x 467 x 593 mm, 30.9 Kg
Copy Features		Epson AcuLaser CX11NF
Maximum Copy Resolution	600 dpi	Standard Model (With Fax)
Multiple Copies	Up to 25ppm in black and white and 5ppm in colour (A4)	C11C588081BZ
ADF Continuous Copies	Up to 25ppm in black and white and 5ppm in colour (A4)	(W x D x H mm, Kg) ⁽³⁾
First Page Out	12 seconds in black and white and 29 seconds in colour (A4)	460 x 467 x 667 mm, 33.1 Kg
Zoom	25 to 400%, 1% increments.	
Scan Features		Epson AcuLaser CX11NFC
Scan Speed	2 seconds in black and white and 11 seconds in colour (A4)	Standard Model (With Fax) + Cabinet
Scan Resolution	9600dpi x 9600dpi enhanced, 600x600dpi optical	C11C588081BW
Colour Depth	48 bits (internal), 24 bits (output)	(W x D x H mm, Kg) ⁽³⁾
Compatibility	TWAIN	460 x 467 x 852 mm, 45.6 Kg
Scan Area / Document Size	297 x 216mm / A4	
Fax Features⁽⁴⁾		Epson AcuLaser C1100/CX11N
Supported Communication Lines	PSTN (general phone lines), PBX (independent premises internal lines)	High Capacity Toner Cartridge Yellow 0187
Transmission Speed	Automatic detect, 2,400bps to 33,6kbps, Super G3	C13S050187
Transmission Reception Modes	24-bit colour / 1 bit mono	Epson AcuLaser C1100/CX11N
Image Compression	JPEG, MH, MR, MMR	High Capacity Toner Cartridge Magenta 0188
Fast Dialing	3 one-touch buttons, 60 speed-dials, 20 group dials	C13S050188
Page Memory	Approximately 200 pages (ITU-T, No. 1 chart, A4)	
Report Functions	Transmission report, Multiple transmission report, Activity Report, PowerOff report	
Dialing Functions	Auto-redial 0-99 times, Fax/Phone auto switching	
Common Features		Epson AcuLaser C1100/CX11N
LCD Control Panel	22 digits, 5 lines, backlit	Cartridge Cyan 0189
Processor / Memory	192 MHz / 128MB with Epson MITech (standard), up to 576MB (maximum)	C13S050189
Paper Handling		Epson AcuLaser C1100/CX11N
Standard Paper Input	180 sheets (180 Multi-Purpose tray), Manual Duplex	High Capacity Toner Cartridge Black 0190
Maximum Paper Input	680 sheets (180 Multi-Purpose tray + 500-Sheet Paper Cassette)	C13S050190
Paper Output	250 sheets	Epson AcuLaser C1100/CX11N
Paper Size	A4, A5, B5, LT, GLT, HLT, EXE, C5, C6, C10, DL, MON, ISO-B5; Width: 90-220 mm; Length: 110-355.6 mm	Standard Capacity Toner Cartridge Yellow 0191
Paper Weight	64 to 210 g/m ²	C13S050191
Optional Paper Handling	500-Sheet Paper Cassette	Epson AcuLaser C1100/CX11N
Duplex	Yes (manual)	Standard Capacity Toner Cartridge Yellow 0192
ADF*	Document sizes: A4, Legal, LT, B5 Maximum Capacity: 50 Sheets (80g/m ²) Paper Weight: 50-124g/m ²	C13S050192
Printer Control		Standard Capacity Toner Cartridge Magenta 0192
Language Emulations	Standard: ESC/Page-Colour S	C13S050192
Connectivity		Epson AcuLaser C1100/CX11N
Standard Interfaces	High Speed USB (2.0 compatible), EpsonNet 10/100 Base Tx Ethernet interface	Standard Capacity Toner Cartridge Cyan 0193
Network Printing Protocols	TCP/IP: LPR, FTP, IPP, PORT2501, PORT9100, Microsoft Network: SMB; AppleTalk	C13S050193
Network Management Protocols	TCP/IP: SNMP, HTTP, TELNET, DHCP, BOOTP, APIPA, PING, DDNS, mDNS(Rendezvous), SNTP, SSDP Microsoft Network(NetBEUI): SNMP; AppleTalk SNMP	
Consumables^{(1),(2)}		Epson AcuLaser C1100/CX11N
Toner	Black: 4,000 pages ⁽¹⁾ , Colour: 4,000/1,500 pages ⁽¹⁾	PhotoConductor Unit 1104
Toner Save Mode	Yes	C13S051104
PhotoConductor Unit	Black and white printing: 42,000 pages ⁽¹⁾ , Colour printing: 10,500 pages ⁽¹⁾	
Power Requirements		Printer Cabinet for Epson AcuLaser CX11N/NF
Rated Voltage/Frequency/Current	220V ±10% / 50Hz or 60Hz ± 3Hz / 4.0 A	8715946280547
Power Consumption	Operating: 790 W max, 294 Wh (B&W), 191 Wh (Colour) average - Standby: 51 Wh - Sleep: 18 Wh	
Minimum (Recommended) System Requirement		500-Sheet Paper Cassette
PC:	Pentium II 233MHz (Pentium II 450MHz), 64MB (128MB)	C12C802181
MAC:	PowerPC G3 233MHz (G4 500MHz), 64MB (128MB)	Epson Additional Memory
PC Interfaces	USB (Windows 98SE/ME/2000/XP only), or 10/100 Base Tx Ethernet (standard)	16MB (7000272), 32MB (7000273), 64MB (7000275), 128MB (7000276), 256MB (7000277)
MAC Interfaces	EtherTalk, USB	
Operating System	Windows 98SE/ME/XP/2000, Mac OSX 10.1.2 or later	
Environmental Conditions		Software
Temperature / Humidity	Operation: 10 to 32 °C, Storage: 0 to 35 °C / Operation: 15 to 80% RH, Storage: 15 to 80% RH	Free Additional Software
Sound Power	Operating: Fax model: 6.8B, Base model: 6.6B, Standby: silent	Office Ready Essentials with PDF Writer, Epson Web-To-Page, Business Index Photo Print,
Sound Pressure	Operating: Fax model: 57dB(A), Base model: 54dB(A), Standby: silent	Epson Creativity Suite, BizCard, Presto! PageManager, Fax Speed Dial Utility
Safety and Regulations		
Safety Standards	Compliant with IEC60950 3rd	
EMC/EMI	EN55022 (CIRSPR Publication22) Class B, EN61000-3-2 (Harmonics) Class A, EN6100-3-3 (Flicker), EN55024, GB4943, GB9254 Class B, GB17625.1, KN22 Class B, KN61000-4-2/-3/-4/-5/-6/-11, AS/NZS	
Communication Standard	TBR21: Ministry of Telecommunication, ANATEL, CNC, IDA, SIRIM, PTD, ASI/ACIF002, AS TS001, TNA 102, HKTA 2011, MII&NAL	
Warranty		
Standard	1 year On-Site ⁽⁵⁾	
Optional	Epson Cover Plus 3 year Extended Warranty On-Site Pack ECPGRP55	

⁽¹⁾ The above figures are approximate and are based on the number of A4 sheets printed at 5% coverage under conditions of continuous printing. Intermittent use may reduce page yield

⁽²⁾ Initial Toner Cartridges: CMYK: 1,500 pages(1) ⁽³⁾ Weight including consumables ⁽⁴⁾ Epson AL-CX11NF models only ⁽⁵⁾ conditions apply: please register on www.register.epson-europe.com



Telephone: +44 (0) 1442 261144
E-mail: info@epson.co.uk

Fax: +44 (0) 8702 413093
www.epson.co.uk

EPSON® is a registered trademark of SEIKO EPSON® Corporation. All other product names and other company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice.